

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0) , \lim_{x \rightarrow a} f(x) = L , \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0) , \lim_{x \rightarrow a} f(x) = L , \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0) , \lim_{x \rightarrow a} f(x) = L , \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) \ (0 < |x - a| < \delta_0)$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$f(x) \leq g(x)$ ($0 < |x - a| < \delta_0$), $\lim_{x \rightarrow a} f(x) = L$, $\lim_{x \rightarrow a} g(x) = M$

$$L \leq M$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$f(x) \leq g(x)$ ($0 < |x - a| < \delta_0$), $\lim_{x \rightarrow a} f(x) = L$, $\lim_{x \rightarrow a} g(x) = M$

$$L \leq M$$

Proof.

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$f(x) \leq g(x)$ ($0 < |x - a| < \delta_0$), $\lim_{x \rightarrow a} f(x) = L$, $\lim_{x \rightarrow a} g(x) = M$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t.}$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$f(x) \leq g(x)$ ($0 < |x - a| < \delta_0$), $\lim_{x \rightarrow a} f(x) = L$, $\lim_{x \rightarrow a} g(x) = M$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) \quad (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2}$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) \quad (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} \quad (\because \lim_{x \rightarrow a} f(x) = M)$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\begin{aligned} \exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} \quad (\because \lim_{x \rightarrow a} f(x) = M), \\ \exists \delta_2 > 0 \end{aligned}$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$f(x) \leq g(x)$ ($0 < |x - a| < \delta_0$), $\lim_{x \rightarrow a} f(x) = L$, $\lim_{x \rightarrow a} g(x) = M$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$\exists \delta_1 > 0$ s.t. $0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2}$ ($\because \lim_{x \rightarrow a} f(x) = M$) , $L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$
 $\exists \delta_2 > 0$ s.t.

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$f(x) \leq g(x)$ ($0 < |x - a| < \delta_0$), $\lim_{x \rightarrow a} f(x) = L$, $\lim_{x \rightarrow a} g(x) = M$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\begin{aligned} \exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} \quad (\because \lim_{x \rightarrow a} f(x) = M) , \quad L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2} \\ \exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \end{aligned}$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$f(x) \leq g(x)$ ($0 < |x - a| < \delta_0$), $\lim_{x \rightarrow a} f(x) = L$, $\lim_{x \rightarrow a} g(x) = M$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$\exists \delta_1 > 0$ s.t. $0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2}$ ($\because \lim_{x \rightarrow a} f(x) = M$) , $L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$
 $\exists \delta_2 > 0$ s.t. $0 < |x - a| < \delta_1 \Rightarrow$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0) , \lim_{x \rightarrow a} f(x) = L , \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\begin{aligned} \exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} \quad (\because \lim_{x \rightarrow a} f(x) = M) , \quad L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2} \\ \exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \end{aligned}$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_2 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M)$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$$

$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M), M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2}$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\begin{aligned} \exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2} \\ \exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M), M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2} \end{aligned}$$

$$\delta$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\begin{aligned} \exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2} \\ \exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M), M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2} \end{aligned}$$

$$\delta = \min\{\delta_0, \delta_1, \delta_2\}$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) \quad (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$
$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} \quad (\because \lim_{x \rightarrow a} f(x) = M), \quad L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$$
$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} \quad (\because \lim_{x \rightarrow a} g(x) = M), \quad M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2}$$

$$\delta = \min\{\delta_0, \delta_1, \delta_2\}$$

$$f(x) \leq g(x)$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$
$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$$
$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M), M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2}$$

$$\delta = \min\{\delta_0, \delta_1, \delta_2\}$$

$$f(x) \leq g(x), L - \frac{\epsilon}{2} < f(x) \leq g(x) < M + \frac{\epsilon}{2}$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$
$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$$
$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M), M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2}$$

$$\delta = \min\{\delta_0, \delta_1, \delta_2\}$$

$$f(x) \leq g(x), L - \frac{\epsilon}{2} < f(x) \leq g(x) < M + \frac{\epsilon}{2}, L - \frac{\epsilon}{2} < M + \frac{\epsilon}{2}$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$
$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$$
$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M), M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2}$$

$$\delta = \min\{\delta_0, \delta_1, \delta_2\}$$

$$f(x) \leq g(x), L - \frac{\epsilon}{2} < f(x) \leq g(x) < M + \frac{\epsilon}{2}, L - \frac{\epsilon}{2} < M + \frac{\epsilon}{2}, 0 < M - L + \epsilon$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$
$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$$
$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M), M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2}$$

$$\delta = \min\{\delta_0, \delta_1, \delta_2\}$$

$$f(x) \leq g(x), L - \frac{\epsilon}{2} < f(x) \leq g(x) < M + \frac{\epsilon}{2}, L - \frac{\epsilon}{2} < M + \frac{\epsilon}{2}, 0 < M - L + \epsilon$$

$$\forall \epsilon > 0$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$
$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$$
$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M), M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2}$$

$$\delta = \min\{\delta_0, \delta_1, \delta_2\}$$

$$f(x) \leq g(x), L - \frac{\epsilon}{2} < f(x) \leq g(x) < M + \frac{\epsilon}{2}, L - \frac{\epsilon}{2} < M + \frac{\epsilon}{2}, 0 < M - L + \epsilon$$

$$\forall \epsilon > 0, 0 < M - L + \epsilon$$

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start

▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$

$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\begin{aligned} \exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2} \\ \exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M), M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2} \end{aligned}$$

$$\delta = \min\{\delta_0, \delta_1, \delta_2\}$$

$$f(x) \leq g(x), L - \frac{\epsilon}{2} < f(x) \leq g(x) < M + \frac{\epsilon}{2}, L - \frac{\epsilon}{2} < M + \frac{\epsilon}{2}, 0 < M - L + \epsilon$$

$$\forall \epsilon > 0, 0 < M - L + \epsilon$$

∴

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

▶ Start ▶ End

Theorem

$$f(x) \leq g(x) (0 < |x - a| < \delta_0), \lim_{x \rightarrow a} f(x) = L, \lim_{x \rightarrow a} g(x) = M$$
$$L \leq M$$

Proof.

$$\epsilon > 0$$

$$\exists \delta_1 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |f(x) - L| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} f(x) = M), L - \frac{\epsilon}{2} < f(x) < L + \frac{\epsilon}{2}$$
$$\exists \delta_2 > 0 \text{ s.t. } 0 < |x - a| < \delta_1 \Rightarrow |g(x) - M| < \frac{\epsilon}{2} (\because \lim_{x \rightarrow a} g(x) = M), M - \frac{\epsilon}{2} < g(x) < M + \frac{\epsilon}{2}$$

$$\delta = \min\{\delta_0, \delta_1, \delta_2\}$$

$$f(x) \leq g(x), L - \frac{\epsilon}{2} < f(x) \leq g(x) < M + \frac{\epsilon}{2}, L - \frac{\epsilon}{2} < M + \frac{\epsilon}{2}, 0 < M - L + \epsilon$$

$$\forall \epsilon > 0, 0 < M - L + \epsilon$$

$$\therefore L \leq M$$

□

$$\left[f(x) \leq g(x) (0 < |x - a| < \delta_0) , \lim_{x \rightarrow a} f(x) = L , \lim_{x \rightarrow a} g(x) = M \right] \Rightarrow L \leq M$$

Github:

<https://min7014.github.io/math20240107001.html>

Click or paste URL into the URL search bar,
and you can see a picture moving.