

대수적으로 이차부등식 풀기

( $ax^2 + bx + c > 0$  ( $a > 0$ ,  $b, c \in \mathbb{R}$ ))

(Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$  ( $a > 0$ ,  $b, c \in \mathbb{R}$ ))  
in Algebra)

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Start

▶ End

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Start

▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, \ b, c \in \mathbb{R})$$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$\text{Let } D = b^2 - 4ac$$

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

Let  $D = b^2 - 4ac$

- $D > 0$

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

Let  $D = b^2 - 4ac$

- $D > 0$  :

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

Let  $D = b^2 - 4ac$

- $D > 0$  : Let

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

Let  $D = b^2 - 4ac$

- $D > 0$  : Let  $\alpha$

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

Let  $D = b^2 - 4ac$

- $D > 0$  : Let  $\alpha$  and

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

Let  $D = b^2 - 4ac$

- $D > 0$  : Let  $\alpha$  and  $\beta$

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$\text{Let } D = b^2 - 4ac$$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$\text{Let } D = b^2 - 4ac$$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$\text{Let } D = b^2 - 4ac$$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$\text{Let } D = b^2 - 4ac$$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$\text{Let } D = b^2 - 4ac$$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$\text{Let } D = b^2 - 4ac$$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
∴

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$\text{Let } D = b^2 - 4ac$$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $\therefore \alpha$

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$\text{Let } D = b^2 - 4ac$$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $\therefore \alpha <$

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$\text{Let } D = b^2 - 4ac$$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $\therefore \alpha < x$

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

Let  $D = b^2 - 4ac$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $\therefore \alpha < x < \beta$  ▶ proof

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

Let  $D = b^2 - 4ac$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $\therefore \alpha < x < \beta$  [▶ proof](#)

- $D \leq 0$

$\therefore$

▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

Let  $D = b^2 - 4ac$

- $D > 0$  : Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $\therefore \alpha < x < \beta$  ▶ proof

- $D \leq 0$   
 $\therefore$  No solutions ▶ proof

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0$$

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

i)  $x - \alpha > 0, x - \beta < 0$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha <$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x <$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

- i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$
- ii)  $x - \alpha < 0, x - \beta > 0$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

- i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$
- ii)  $x - \alpha < 0, x - \beta > 0 \Rightarrow$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

- i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$
- ii)  $x - \alpha < 0, x - \beta > 0 \Rightarrow$  No solutions

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

- i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$
- ii)  $x - \alpha < 0, x - \beta > 0 \Rightarrow$  No solutions  
by i), ii)

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

- i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$
- ii)  $x - \alpha < 0, x - \beta > 0 \Rightarrow$  No solutions  
by i), ii)  $\therefore$

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

- i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$
- ii)  $x - \alpha < 0, x - \beta > 0 \Rightarrow$  No solutions  
by i), ii)  $\therefore \alpha$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

- i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$
- ii)  $x - \alpha < 0, x - \beta > 0 \Rightarrow$  No solutions  
by i), ii)  $\therefore \alpha <$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

- i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$
- ii)  $x - \alpha < 0, x - \beta > 0 \Rightarrow$  No solutions  
by i), ii)  $\therefore \alpha < x$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

- i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$
- ii)  $x - \alpha < 0, x - \beta > 0 \Rightarrow$  No solutions  
by i), ii)  $\therefore \alpha < x < \beta$

## Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

Let  $\alpha$  and  $\beta$  be roots of  $ax^2 + bx + c = 0$  where  $\alpha < \beta$ .  
 $(\because b^2 - 4ac > 0)$

$$(x - \alpha)(x - \beta) < 0$$

- i)  $x - \alpha > 0, x - \beta < 0 \Rightarrow \alpha < x < \beta$
- ii)  $x - \alpha < 0, x - \beta > 0 \Rightarrow$  No solutions  
by i), ii)  $\therefore \alpha < x < \beta$

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home ▶ Start ▶ End

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home

▶ Start

▶ End

$$ax^2 + bx + c < 0$$

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home

▶ Start

▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home

▶ Start

▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home

▶ Start

▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

$$\left(x + \frac{b}{2a}\right)^2 - \frac{b^2}{4a^2} + \frac{c}{a} < 0$$

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home

▶ Start

▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

$$\left(x + \frac{b}{2a}\right)^2 - \frac{b^2}{4a^2} + \frac{c}{a} < 0$$

$$\left(x + \frac{b}{2a}\right)^2 - \frac{b^2 - 4ac}{4a^2} < 0$$

# Solving Quadratic Inequalities ( $ax^2 + bx + c > 0$ ( $a > 0$ , $b, c \in \mathbb{R}$ )) in Algebra

▶ Home

▶ Start

▶ End

$$ax^2 + bx + c < 0 \quad (a > 0, b, c \in \mathbb{R})$$

$$x^2 + \frac{b}{a}x + \frac{c}{a} < 0 \quad (\because a > 0)$$

$$\left(x + \frac{b}{2a}\right)^2 - \frac{b^2}{4a^2} + \frac{c}{a} < 0$$

$$\left(x + \frac{b}{2a}\right)^2 - \frac{b^2 - 4ac}{4a^2} < 0$$

$\therefore$  No solutions ( $\because b^2 - 4ac \leq 0$ )

Github:

<https://min7014.github.io/math20210514001.html>

Click or paste URL into the URL search bar,  
and you can see a picture moving.